



UL 21087

Product Description

Rated voltage

150V



Rated temperature

60°C



Fire Performances

Horizontal flame / Cable flame



AWG

36AWG-9AWG



Conductor

Solid / Stranded



Insulation

UL Labeled



Assembly

2 or more individual / groups insulated
conductors laid parallel / cabled together to
form a round, flat, or oval cable.



Shield

Optional

Optional / PVC




Jaket

FRPE



Bend Radius

10X



AWG 線規	Conductor		Insulation			OVERALL DIAMETER 完成外徑(mm)
	Stranded (No./mm) 線規/線徑	Cores (N) 芯線(C)	Insulation overall Diameter(mm) 芯線直徑(mm)	Covering&Jacket of Thickness(mm) 外被厚度(mm)		
16	26/0.254	2	2.13	0.13	0.76	5.00±0.1
	34/0.18	2	1.84	0.13	0.76	4.52±0.1
18	34/0.18	3	1.84	0.13	0.76	5.19±0.1
	21/0.18	2	1.58	0.13	0.76	4.10±0.1
20	21/0.18	3	1.58	0.13	0.76	4.68±0.1
	17/0.16	2	1.40	0.13	0.76	3.81±0.1
22	17/0.16	3	1.40	0.13	0.76	4.32±0.1
	11/0.16	2	1.25	0.13	0.76	3.56±0.1
24	11/0.16	3	1.25	0.13	0.76	4.02±0.1
	7/0.16	2	1.13	0.13	0.76	3.36±0.1
26	7/0.16	3	1.13	0.13	0.76	3.77±0.1
	7/0.127	2	1.03	0.13	0.76	3.19±0.1
28	7/0.127	3	1.03	0.13	0.76	3.57±0.1
	7/0.10	2	0.94	0.13	0.76	3.06±0.1
30	7/0.10	3	0.94	0.13	0.76	3.41±0.1

AWM UL 758

3A Plus, 3a plus (logo), and 3A (logo) are trademarks.
Other logos, product and/or Company names may be trademarks of their respective owners

Marking Example:
E209277 cUL AWM STYLE 21087 60°C 150V FT2 □□AWG
3A AWM IA 60°C 150V □□AWG FT2 3A LF



<https://www.3awire.com/>

All Rights Reserved.

The information provided by 3A PLUS is intended for general informational purposes only and should not be construed as professional advice. While we strive for accuracy and completeness, we make no guarantees regarding the reliability, suitability, or availability of the information presented. Any reliance you place on such information is strictly at your own risk. We reserve the right to modify our products, services, and policies at any time without prior notice. For specific inquiries or concerns, please contact us directly. Thank you for choosing 3A PLUS Wire & Cable.